

- [54] **CHILD RESTRAINT DEVICE**
- [76] **Inventor:** Judith M. Witter, 15632 Yukon Ave.,  
Lawndale, Calif. 90260
- [21] **Appl. No.:** 865,766
- [22] **Filed:** May 22, 1986
- [51] **Int. Cl.<sup>4</sup>** ..... A63G 31/00; A61F 5/37
- [52] **U.S. Cl.** ..... 272/1 R; 297/466;  
128/133; 128/134
- [58] **Field of Search** ..... 297/5, 7, 465, 466,  
297/468, 487; 272/1 A, 1 B; 128/133, 134, 135;  
604/366, 367

- 3,086,529 4/1963 Munz et al. .... 128/134
- 3,196,874 7/1965 Hrubycky ..... 604/366
- 3,474,781 10/1969 Gaylord ..... 297/466 X

*Primary Examiner*—Robert A. Hafer  
*Assistant Examiner*—Samuel Rimell

[57] **ABSTRACT**

A child restraint device is provided for limiting the movement of a child in sand, such as at a beach or in a sandbox. The device employs a flexible sack of a size adapted to accommodate the legs and lower torso of a child. An elastic band is located at the mouth of the sack and a strip of VELCRO fastening material is secured externally about the mouth of the sack. A laterally expansive, annular apron is provided with a central opening to receive the mouth of the sack. The apron has a mating VELCRO fastening strip which encircles the central opening and which is releasably securable to the VELCRO strip at the mouth of the sack. A stiff, circular rim is provided at the outer perimeter of the apron to hold the apron extended and in an annular shape.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

16,150	12/1856	Robbins	.....	297/5
196,730	10/1877	Wick	.....	297/5
1,169,607	1/1916	Blenis	.....	128/134
1,463,125	7/1923	Madere	.....	297/468
1,538,538	4/1924	Wood	.....	297/466 X
1,837,983	12/1931	Moran	.....	297/465 X
2,486,806	11/1949	Seymour et al.	.....	604/366
3,083,050	3/1963	Gill	.....	297/5

**7 Claims, 1 Drawing Sheet**

